EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	@ad<"20010123" and 725/32-36. ccls. and ((tag or metadata or meta or html or xml or (enhanced adj data)) with (store or stored or storing or record$3) with (ap or app or application or function or action or script))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 09:27
L2	21	@ad<"20010123" and 725/32-36. ccls. and ((tag or metadata or meta or html or xml or (enhanced adj data)) same (store or stored or storing or record$3) same (ap or app or application or function or action or script))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:25
L3	0	@ad<"20010123" and 725/32-36. ccls. and ((tag or metadata or meta or html or xml or (enhanced adj data)) same (staging adj server) same (identif$5 near2 (server or origin)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26
L4	0	@ad<"20010123" and 725/32-36. ccls. and ((tag or metadata or meta or html or xml or (enhanced adj data)) same (staging adj server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26
L5	0	@ad<"20010123" and 725/32-36. ccls. and ((staging adj server) same (identif$5 near2 (server or origin)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26
L6	0	@ad<"20010123" and 725/32-36. ccls. and ((staging adj server) with (identif$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26
L7	0	@ad<"20010123" and 725/32-36. ccls. and ((staging adj server) with (origin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26

L8	0	@ad<"20010123" and 725/32-36. ccls. and ((staging adj server) same (origin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
L9	0	@ad<"20010123" and 725/32-36. ccls. and ((staging) same (origin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
L10	2	@ad<"20010123" and 725/32-36. ccls. and ((node) same (origin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
L11	28	@ad<"20010123" and 725/32-36. ccls. and ((node) same (origin or location or identi$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
L12	5	@ad<"20010123" and 725/32-36. ccls. and ((node) same ((origin or location or identi$5) near3 (node or server)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:29
L13	0	@ad<"20010123" and 725/32-36. ccls. and (staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:29
L14	1	@ad<"20010123" and 725/32-36. ccls. and (node with (tag or metadata or meta or html or xml or (enhanced adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:32
L15	22	@ad<"20010123" and 725/32-36. ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:34

EAST Search History

L16	0	@ad<"20010123" and 725/32-36. ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:33
L17	0	@ad<"20010123" and 725/32-36. ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)) with company)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:34
L18	0	@ad<"20010123" and 725/32-36. ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)) with firm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:34
L19	0	@ad<"20010123" and 725/32-36. ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)) with organization)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:34
S1	4	((decod$3 or interpret$4) near3 (metadata or (meta adj data))) same (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:05
S2	41	((decod$3 or interpret$4) near3 (metadata or (meta adj data))) and (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:58
S3	353	(content with (metadata or (meta adj data))) and (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:59
S4	61	(content with (metadata or (meta adj data))) same (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:58

S5	21	(content with (metadata or (meta adj data))) and (headend or (head adj end)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:04
S6	0	(content with (metadata or (meta adj data))) and ((headend or (head adj end)) same (staging adj area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:05
S7	0	(content with (metadata or (meta adj data))) and (headend or (head adj end)) same (staging adj area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:18
S8	3	(content with (metadata or (meta adj data))) and (headend or (head adj end)) and (staging adj area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:05
S9	3	(headend or (head adj end)) same (staging adj area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:19
S10	5	(headend or (head adj end)) same (staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:19
S11	5	(staging adj server) with distribute with content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:20
S12	218	(staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:20

EAST Search History

S13	71	(staging adj server) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:24
S14	19	(staging adj server) and @ad<"20010123" and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:31
S15	566	(metadata or (meta adj data)) same ((decid$3 or select$3) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:32
S16	130	(metadata or (meta adj data)) with ((decid$3 or select$3) near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:33
S17	17	((metadata or (meta adj data)) with ((decid$3 or select$3) near3 server)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:33
S18	75	(nested near3 (content or asset)) and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:36
S19	2	(nested near3 (asset)) and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:34
S20	27	(nested near3 (content or asset)) and (television or tv or catv) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:37

S21	5	(recursive near3 (content or asset)) and (television or tv or catv) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:44
S22	0	xml with indentify$3 with content with (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:45
S23	0	xml with indentify with content with (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:45
S24	383	xml with content with (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:45
S25	65	(xml with content with (metadata or (meta adj data))) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:46
S26	49	(xml with content with (metadata or (meta adj data))) and @ad<"20010123" and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:47
S27	0	((xml with content with (metadata or (meta adj data))) same (video or mpeg)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:48
S28	13	((xml with (metadata or (meta adj data))) same (video or mpeg)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:16

S29	4	"10053867"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:06
S30	0	(metadata or (meta adj data)) with indentify$3 with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:08
S31	0	(metadata or (meta adj data)) same indentify$3 same server same (video or mpeg)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:07
S32	0	(metadata or (meta adj data)) same indentify$3 same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:08
S33	825	(metadata or (meta adj data)) same identify$3 same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:08
S34	310	(metadata or (meta adj data)) with identify$3 with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:09
S35	3	(metadata or (meta adj data)) with identify$3 with server with origin$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:09
S36	49	(metadata or (meta adj data)) with identify$3 with server with content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:36

EAST Search History

S37	1411	(identify$3 with source with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:37
S38	0	(identify$3 with source with server) same (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:38
S39	20	(identify$3 with source with server) and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:49
S40	206	(ftp or (file adj transfer adj protocol)) and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:49
S41	52	(ftp or (file adj transfer adj protocol)) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:23
S42	257	(user with (setting or specify$3) with rules with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:25
S43	52	(user with (setting or specify$3) with rules with content) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:26
S44	0	(user with (setting or specify$3) with rules with content) and @ad<"20010123" and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:27

S45	1	((setting or specify$3) with rules with content) and @ad<"20010123" and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:26
S46	25	(user with (setting or specify$3) with rules with content) and @ad<"20010123" and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:38
S47	9	(receiv$3 with (metadata or (meta adj data)) with prior with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:39
S48	149	((metadata or (meta adj data)) with prior with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:39
S49	0	((metadata or (meta adj data)) with prior with content) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:40
S50	0	((metadata or (meta adj data)) with before with content) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:40
S51	0	((metadata or (meta adj data)) near3 (prior or before)) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:40
S52	7	((metadata or (meta adj data)) with (prior or before)) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:48

S53	47	((metadata or (meta adj data)) with (database or (data adj base)) with content) and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:48
S54	230	(725/91).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 16:05
S55	538	peyton.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:45
S56	0	peyton.in. and (local adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:45
S57	14	peyton.in. and (server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:46
S58	3	peyton.in. and (preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:47
S59	15	peyton.in. and (rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:48
S60	59	peyton.in. and (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:51

S61	257	(user with specify with (rule or preference)) same (distribut$3 or transfer$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:52
S62	76	((user with specify with (rule or preference)) same (distribut$3 or transfer$4)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:52
S63	28	((user with specify with (rule or preference)) same ((distribut$3 or transfer$4) with content)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:54
S64	7	((user with specify with (rule or preference)) same ((distribut$3 or transfer$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:54
S65	0	((user with set with (rule or preference)) same ((distribut$3 or transfer$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:55
S66	13	((user with (rule or preference)) same ((distribut$3 or transfer$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:56
S67	3	((subscriber with (rule or preference)) same ((distribut$3 or transfer$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:03
S68	27	(((survey)) same ((distribut$3 or transfer$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:04

S69	0	(((questionaire)) same ((distribut$3 or transfer$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:04
S70	0	(((questionare)) same ((distribut$3 or transfer$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:04
S71	9	(((question)) same ((distribut$3 or transfer$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:07
S72	565	herz.in. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:07
S73	19	herz.in. and @ad<"20010123" and preference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:08
S74	2	herz.in. and @ad<"20010123" and (preference same survey)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:08
S75	2532	(725/86-104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 08:13
S76	14	S75 and ((metadata or (meta adj data)) with (combin$3 or embed$4) with (content or movie))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:15

EAST Search History

S77	57	"725"/$.ccls. and ((metadata or (meta adj data)) with (combin$3 or embed$4) with (content or movie))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:15
S78	3	"725"/$.ccls. and ((metadata or (meta adj data)) with (combin$3 or embed$4) with (content or movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:16
S79	579	((metadata or (meta adj data)) with server with direct$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:33
S80	25	((metadata or (meta adj data)) with server with direct$3) and "725"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:33
S81	4	((metadata or (meta adj data)) with server with direct$3) and "725"/$. ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:35
S82	1	((metadata or (meta adj data)) with server with type) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
S83	0	((metadata or (meta adj data)) with server with movie with game) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
S84	0	((metadata or (meta adj data)) with server with program with game) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37

EAST Search History

S85	0	((metadata or (meta adj data) or xml or tag) with server with program with game) and "725"/$. ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
S86	0	((metadata or (meta adj data) or xml or tag) with server with movie with game) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
S87	179	((metadata or (meta adj data) or xml or tag) with rout$3with movie with game) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
S88	0	((metadata or (meta adj data) or xml or tag) with rout$3 with movie with game) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
S89	0	((metadata or (meta adj data) or xml or tag) with node with movie with game) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
S90	1	((metadata or (meta adj data) or xml or tag) with movie with game) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:39
S91	16	((metadata or (meta adj data) or xml or tag) with rout$3) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:51
S92	0	(rout$ with movie with game with (server or node)) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:52

S93	0	(rout$ with movie with game with (server or node)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:52
S94	30	(rout$ with content with (server or node)) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 09:15
S95	4	(distribut$3 with (metadata or (meta adj data)) with (server or node)) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:10
S96	2	((node or server) with (decod$3 or pars$3) with (metadata or (meta adj data))) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:16
S97	26	((node or server) with (decod$3 or pars$3) with (metadata or (meta adj data))) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:12
S98	24	S97 not S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:12
S99	0	((distribut$3) with (decod$3 or pars$3) with (metadata or (meta adj data))) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:17
S10 0	14	((decod$3 or pars$3) with (metadata or (meta adj data))) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:21

S10 1	0	(((decod$3 or pars$3) with (metadata or (meta adj data))) same node) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:21
S10 2	5	(((decod$3 or pars$3) with (metadata or (meta adj data))) same server) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:23
S10 3	6	(((decod$3 or pars$3) with (tag)) same (server or node)) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:26
S10 4	1	((decod$3 or pars$3) with (tag) with destination) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:27
S10 5	1	((decod$3 or pars$3) with (metadata or (meta adj data) or tag) with destination) and "725"/$. ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:27
S10 6	2	((metadata or (meta adj data) or tag) with (destination near3 (server or node))) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:37
S10 7	2	("5434978").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 12:29
S10 8	16	((metadata or (meta adj data) or tag) with (path)) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:37

EAST Search History

S10 9	0	((metadata or (meta adj data) or tag) with (path) with (node or server)) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:38
S11 0	1	(((metadata or (meta adj data) or tag) with (path)) same (node or server)) and "725"/$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
S11 1	0	(staging adj server) and "725"/32-36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
S11 2	0	(staging near3 server) and "725"/32-36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
S11 3	0	(staging near3 node) and "725"/32-36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
S11 4	1	(staging) and "725"/32-36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:45
S11 5	72	"725"/36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:45
S11 6	5	"725"/36.ccls. and @ad<"20010123" and (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:46

S11 7	1	"725"/36.ccls. and @ad<"20010123" and ((metadata or (meta adj data)) with (server or node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:46
S11 8	0	(staging adj server) and "725"/32-36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 09:33